

Contents

| | |
|---|-----------|
| A. Summary and conclusions | 1 |
| 1. Introduction | 1 |
| 2. Report summary | 3 |
| 2.1 Climate change defined | 3 |
| 2.2 Extreme weather events | 4 |
| 2.3 Adaptability of crops | 5 |
| 2.4 Changes in cropping patterns, pest, diseases and weeds as a consequence of climate change | 5 |
| 2.5 Weather based decision support systems | 6 |
| B. Opportunities and challenges for the different industries | 8 |
| 1. Grain Maize | 9 |
| 2. Wheat | 11 |
| 3. Soya Beans | 13 |
| 4. Rice | 15 |
| 5. Sugar Beet | 16 |
| 6. Potatoes | 17 |
| 7. Cotton | 19 |
| 8. Oil Seed Rape | 21 |
| 9. Sunflowers | 22 |
| 10. Grape Vines | 23 |
| 1. Climate Change Scenarios and their potential impact on world agriculture | 24 |
| Executive Summary | 24 |
| 1.0 What Causes the Climate System to Change? | 26 |
| 2.0 Past Climatic Changes | 27 |
| 3.0 Anthropogenic Forcing of the Climate System | 30 |
| 4.0 Future Changes in Anthropogenic Forcing | 32 |

| | |
|---|----|
| 5.0 Implications of SRES Scenarios on Global Climate | 33 |
| 5.1 Temperature | 34 |
| 5.2 Precipitation | 35 |
| 5.3 Sea Level Rise | 35 |
| 5.4 Mitigation Possibilities Within The Agricultural Sector | 36 |
| 6.0 Implications of SRES Scenarios on Regional Climate | 37 |
| 6.1 Europe | 37 |
| 6.2 North America | 42 |
| 7.0 Impacts of Future Climate Change on Agriculture | 42 |
| 7.1 Europe | 43 |
| 7.2 North America | 44 |
| References | 46 |

2. Climate variability and extremes – where are the risks to crop production? 47

| | |
|---|----|
| Executive Summary | 47 |
| 1.0 Introduction | 48 |
| 2.0 Current Climate Variability | 50 |
| 2.1 Short-term natural extremes: storms and related floods | 52 |
| 2.1.1 Areas vulnerable to tropical storms and recent storm events | 52 |
| 2.1.2 Impact of storm-related disasters on agriculture | 55 |
| 2.1.3 Adaptation through technology: early warning and forecasting of tropical storms | 56 |
| 2.2 Inter-annual and intra-seasonal variability: droughts | 56 |
| 2.2.1 The winter rainfall subtropics | 57 |
| 2.2.2 The summer rainfall subtropics | 58 |
| 2.2.3 Case study: drought in Orissa, central India | 59 |
| 2.3 Variability from large-scale circulation: ENSO (El Niño/La Niña Southern Oscillation) | 59 |
| 2.3.1 Case study: ENSO impacts and responses in Ethiopia | 61 |
| 2.4 Decadal time scale of climate variations | 62 |
| 2.5 Natural climatic change | 63 |
| 3. Recent Trends and Links to Projected Climate Change | 63 |
| 3.1. Observed trends in climate variability | 63 |
| 3.1.1 Temperature extremes | 63 |
| 3.1.2 Extreme precipitation | 64 |
| 3.1.3 Drought and wet periods | 65 |
| 3.1.4 Tropical storms | 65 |
| 3.1.5 A note of caution | 66 |

| | |
|--|----|
| 3.2 Links to climate change | 66 |
| 3.3 Impacts on agriculture and responses | 67 |
| 3.3.1 Case study: extreme precipitations and floods in the US | 67 |
| 3.3.2 Case study: heat waves in Europe | 69 |
| 4. Climate Change vs. Existing Problems: Socio-Economic Trends and the next 30 Years | 70 |
| References | 73 |

3. Climate change, crops and plant varieties – the challenge to plant breeders 76

| | |
|---|-----|
| Executive Summary | 76 |
| 1.0 Introduction | 77 |
| 2.0 Climate change and its impact on plants | 79 |
| 2.1 Factors sought in future Crops and Varieties | 80 |
| 2.2 Key parameters | 80 |
| 3.0 Crop Reviews | 82 |
| 3.1 Cereals (Wheat, Barley, Rice, Oat and Maize) | 82 |
| 3.1.1 Wheat (<i>Triticum aestivum</i>) | 82 |
| 3.1.2 Barley (<i>Hordeum vulgare</i>) | 84 |
| 3.1.3 Rice (<i>Oryza sativa</i>) | 85 |
| 3.1.4 Oat (<i>Avena sativa</i>) | 87 |
| 3.1.5 Maize (<i>Zea mays</i>) | 88 |
| 3.1.6 Sorghum (<i>Sorghum bicolor</i>) | 90 |
| 3.2 Oil crops | 92 |
| 3.2.1 Soybean (<i>Glycine max</i>) | 92 |
| 3.2.2 Oilseed Rape (<i>Brassica</i> spp.) | 95 |
| 3.2.3 Sunflower (<i>Helianthus annuus</i> L) | 97 |
| 3.3 Vegetable Fibre Crops | 100 |
| 3.3.1 Hemp (<i>Cannabis sativus</i>) and Jute (<i>Corchorus</i> spp.) | 100 |
| 3.3.2 Cotton (<i>Gossypium</i> spp.) | 101 |
| 3.4 Sugar crops | 103 |
| 3.4.1 Sugar Cane (<i>Saccharum</i> spp.) | 103 |
| 3.4.2 Sugar Beet (<i>Beta vulgaris</i>) | 104 |
| 3.5 Fruit Crops | 106 |
| 3.5.1 Topfruit including Apples (<i>Malus</i> spp.) Pear (<i>Pyrus</i> spp.) Cherries, Apricots and Peaches (<i>Prunus</i> spp.) | 106 |
| 3.5.2 Citrus fruits (<i>Citrus</i> , <i>Fortunella</i> and <i>Ponurus</i> spp.) | 107 |
| 3.5.3 Banana (<i>Musa</i> spp.) | 109 |

| | |
|---|-----|
| 3.6 Vegetables | 111 |
| 3.6.1 Cole Crops (<i>Brassica oleracea</i>) | 111 |
| 3.6.2 Tomato (<i>Lycopersicon esculentum</i>) | 112 |
| 3.6.3 Edible Cucurbits (<i>Cucumis</i> , <i>Citrullus</i> and <i>Cucurbita</i> spp.) | 114 |
| 3.7 Tobacco (<i>Nicotiana</i> spp.) | 115 |
| 3.8 Potato (<i>Solanum tuberosum</i>) | 117 |
| 4.0 Conclusion | 119 |
| References | 121 |
| Acknowledgements | 121 |

4. Climatic factors and their influence on crop production, pest, disease and weed incidence and control 122

| | |
|---|-----|
| Executive Summary | 122 |
| 1. Introduction | 124 |
| 1.1. Crop production | 124 |
| 1.2. Cultivation systems | 124 |
| 1.3. Pest, disease and weed incidence | 125 |
| 1.3.1. Pests | 125 |
| 1.3.2. Plant diseases | 126 |
| 1.3.3. Weeds and weed control | 126 |
| 1.3.4. Future trends | 127 |
| 2. Crop Distribution and Production | 128 |
| 2.1. Factors influencing crop production | 128 |
| 2.2. Changes in geographic distribution of the main crops | 128 |
| 2.2.1. Cereals | 128 |
| 2.2.2. Maize | 132 |
| 2.2.3. Rice | 132 |
| 2.2.4. Soya beans | 133 |
| 2.2.5. Sugar beet | 134 |
| 2.2.6. Potatoes | 135 |
| 2.2.7. Cotton | 135 |
| 2.2.8. Oil seed crops | 136 |
| 2.2.9. Other Crops | 136 |
| 2.3. Cultivation and harvesting practices | 137 |
| 3. Crop Pests | 139 |
| 3.1. Soil pests | 139 |
| 3.1.1. Corn rootworm (<i>Diabrotica</i> spp.) | 139 |

| | |
|---|-----|
| 3.1.2. Wireworm (<i>Agriotes</i> spp.) | 140 |
| 3.1.3. Leatherjackets (<i>Tipula paludosa</i>) | 141 |
| 3.2. Sucking and biting pests | 141 |
| 3.2.1. Colorado beetle (<i>Leptinotarsa decemlineata</i>) | 141 |
| 3.2.2. Aphids (<i>Aphis</i> spp.) | 143 |
| 3.2.3. Stink bugs (<i>Nezara viridula</i>) | 144 |
| 3.2.4. European Corn borer (<i>Ostrinia nubilalis</i>) | 144 |
| 3.2.5. Wheat Bulb Fly (<i>Delia coarctata</i>) | 145 |
| 3.2.6. Codling moth (<i>Cydia pomonella</i>) | 146 |
| 3.2.7. Other insect pests | 146 |
| 3.3. Nematodes | 147 |
| 3.4. Stored product pests | 147 |
| 3.5. Pest damage trends | 148 |
| 4. Disease Incidence Trends | 149 |
| 4.1. Potato late blight (<i>Phytophthora infestans</i>) | 149 |
| 4.2. Cereal diseases | 151 |
| 4.3. Sugar beet diseases | 151 |
| 4.4. Rice diseases | 152 |
| 4.5. Grapevine diseases | 153 |
| 4.6. Other crop and storage diseases | 154 |
| 5. Weeds and Weed Control | 155 |
| 5.1. Weed Incidence | 155 |
| 5.1.1. Arable crop weeds | 155 |
| 5.1.2. Exotic weeds. | 157 |
| 5.2. Weed Control | 157 |

5. Developments in weather-based decision support systems, for improved crop production and protection, in a period of climate change 162

| | |
|---|-----|
| Executive Summary | 162 |
| 1.0 Importance of weather monitoring in farming | 164 |
| 1.1 Importance of weather monitoring in crop production | 164 |
| 1.2 Importance of weather monitoring in crop protection | 164 |
| 2.0 Weather data measurement and methods of recording | 165 |
| 2.1 Historical and forecast weather data | 165 |
| 2.2.1 Temperature | 167 |
| 2.2.2 Water – Rain and Irrigation | 168 |
| 2.2.3 Humidity | 168 |

| | |
|---|-----|
| 2.2.4 Wind | 169 |
| 2.2.5 Solar Radiation | 169 |
| 2.2.6 Soil moisture sensing | 169 |
| 2.3 Methods of recording and collecting weather data and compatibility with DSSs | 170 |
| 2.3.1 Manual weather recording | 170 |
| 2.3.2 Automatic weather recording | 171 |
| 3.0 Applications of weather data in farming | 172 |
| 3.1 Weather alerts/warnings | 172 |
| 3.2 Disease Forecasting | 173 |
| 3.2.1 Types of disease model | 173 |
| 3.2.2 Use of forecast data in disease models | 175 |
| 3.3 Pest Forecasting | 175 |
| 3.3.1 Pest Phenology Models | 176 |
| 3.4 Crop growth and nutrition modeling | 176 |
| 3.4.1 Growth models | 176 |
| 3.4.2 Nitrogen models | 177 |
| 3.4.3 Water demand modeling or Irrigation scheduling | 177 |
| 3.4.4 Water demand sensing | 178 |
| 4.0 Current use of weather data and associated systems in farming | 179 |
| 4.1 Use and Distribution of in-field weather stations | 179 |
| 4.2 Commercial use of DSSs | 180 |
| 4.3 Institutional use of DSSs | 181 |
| 4.4 Commercial use of irrigation DSS's – scheduling and sensing | 182 |
| 4.4 Limitations and constraints to commercial use of weather-related DSS's | 182 |
| 5.0 The need for increased use of DSSs – Pressures for change from the traditional approaches | 184 |
| 5.1 Retailer consolidation | 184 |
| 5.2 Crop assurance | 184 |
| 5.3 Pesticide Residues | 184 |
| 5.4 Water legislation and increased water demand | 185 |
| 6.0 The Impact of climate change on forecast, prediction and scheduling systems | 185 |
| 6.1 The Impact of Climate Change on Plant Growth Models. | 186 |
| 6.2 The Impact of Climate Change on Disease Forecasting | 187 |
| 6.3 The Impact of Climate Change on Pest Forecasting | 188 |
| 6.4 The Impact of Climate Change on Irrigation Scheduling | 189 |
| References | 192 |

| | |
|--|------------|
| 6. Crop trends and forecasts and their key inputs – internationally | 194 |
| 6.1. Assumptions | 194 |
| 6.2. Developments in crop production | 195 |
| 6.2.1. Grain Maize | 196 |
| 6.2.2. Wheat | 197 |
| 6.2.3. Soya Beans | 198 |
| 6.2.4. Rice | 199 |
| 6.2.5. Sugar Beet | 200 |
| 6.2.6. Potatoes | 201 |
| 6.2.7. Cotton | 202 |
| 6.2.8. Rapeseed/Canola | 203 |
| 6.2.9. Sunflower | 204 |
| 6.3. Pests, diseases and weeds | 205 |
| 6.3.1. Host Specific Pests | 206 |
| (i) Western Corn Root Worm (<i>Diabrotica viginifera viginifera</i>) | 206 |
| (ii) European Corn Borer (<i>Ostrinia nubilalis</i>) | 207 |
| (iii) Colorado Beetle (<i>Leptinotarsa decemlineata</i>) | 208 |
| 6.3.2. Pests – occurring in several crops | 209 |
| (i) Aphids | 209 |
| (ii) Wireworms (<i>Agrotis lineatus</i>) | 210 |
| (iii) Nematodes | 211 |
| 6.3.3. Diseases | 212 |
| (i) Late Potato Blight (<i>Phytophthora infestans</i>) | 212 |
| (ii) Wheat Diseases (<i>Pseudocercospora herpotrichoides</i> , <i>Erysiphe graminis</i> , <i>Puccinia striiformis</i> & <i>recondita</i> , <i>Septoria</i> spp.) | 213 |
| (iii) Sugar Beet Rhizomania (Carried by <i>Polymixa betae</i>) | 214 |
| (iv) Grape Vine Diseases (<i>Plasmopara viticola</i> , <i>Uncinula necator</i> , <i>Botrytis cinerea</i>) | 215 |
| 6.3.4. Weeds | 216 |
| (i) Annual Grass Weeds in Wheat (<i>Alopecurus</i> spp, <i>Avena fatua</i> , <i>Poa annua</i>) | 216 |
| (ii) Annual Grass Weeds in Maize (<i>Setaria</i> spp, <i>Echinochloa crus-galli</i>) | 217 |
| Glossary | 218 |
| Contributors | 221 |